

The spherical roller bearing

NTN
Make the world **NAMERAKA**

 bearingwizard.com

Summary

- Spherical roller bearings are universally applicable rolling bearings
- They are mainly used in heavy industrial machinery
- They are self-aligning and have two rows of rolling elements
- Spherical roller bearings have a high load carrying capacity and can compensate for relatively large misalignments
- Bearing code: 2
- Two spherical roller bearing designs at NTN: B-type and E-type
- When mounting bearings with a tapered bore, an adapter sleeve may be used

Characteristics of spherical roller bearings

Spherical roller bearings are real all-rounders. They are able to support heavy loads in both axial and radial directions. Spherical roller bearings are mainly used in heavy industrial machinery - for example in ship

The spherical roller bearing

NTN
Make the world **NAMERAKA**


 bearingwizrd.com

propellers, stone crushers or as main rotor bearings in wind turbines.

The raceways of spherical roller bearings are spherically ground, allowing the rows of **rolling elements** to oscillate about the axis of rotation. The rolling elements are barrel-shaped and, due to their axes being inclined relative to the axis of rotation of the bearing, can swing out and counteract a **misalignment**.

Spherical roller bearings are completely self-aligning.

The spherical roller bearing



In this technical drawing of a spherical roller bearing, the *inner ring*, *outer ring*, both rows of rolling elements and *cage* are clearly visible.



The striking thing about the rolling elements of spherical roller bearings is their barrel shape.

Spherical roller bearings have various advantages. On the one hand,

The spherical roller bearing




Easy to swing the 'cassette': Spherical roller bearings inner ring can swing out very far without causing increased Hertzian pressures in the edge area of the rolling elements.

thanks to their design, they can support a combination of radial and axial loads on both sides (combined loads). On the other hand, spherical roller bearings generally have a high load carrying capacity and are capable of withstanding shock loads. The main advantage over [other rolling bearing designs](#) is that spherical roller bearings can compensate for static and dynamic misalignments up to a maximum of 2°. Spherical roller bearings are universally applicable rolling bearings and when cost is measured against their high performance, have an optimal price-performance ratio.

After the whole series of advantages that spherical roller bearings bring with them, the question arises as to whether they also have disadvantages. Strictly speaking, there is only one aspect worth mentioning here: Spherical roller bearings capability to support purely axial loads is limited.

B type



The centre ribs in direct contact with the asymmetrical rolling elements are clearly visible.

The bearing type code number for spherical roller bearings is 2. There are also various spherical roller bearing designs, the first of which is the B design.

This is the original standard type at [rolling bearing](#) manufacturer NTN. It is characterised by asymmetrically ground rollers. Due to their geometry, the rollers are pressed against the integral centre rib, resulting in excellent kinematic rolling behaviour with low friction. The disadvantage of the B-type is a relatively lower [load rating](#) in relation to the symmetrical roller type (E-design). The B-type can be equipped with a plastic, sheet steel or solid cage and is useful for various types of applications.

The spherical roller bearing

NTN
Make the world **NAMERAKA**

 bearingwizard.com

E type


In addition to the B-type, E-type spherical roller bearings are also of importance and are generally characterised by a particularly high load carrying capacity. They can be subdivided again; the EA, EM, EMA and EG15 designs are worth mentioning in this context. All four have in common that they are part of the NTN Ultage series (Ultage is the premium design of various rolling bearing types at NTN). They are thus optimised E-type bearings. Furthermore, the rolling elements of all E-Type bearings have symmetrical rollers. They also have a circumferential [groove](#) and [lubrication](#) holes, so the bearing can be relubricated easily. All open spherical roller bearing designs from NTN can be used at operating temperatures of up to 200°C.

EA type

There are some differences between the various E types, which is why the individual designs are presented in more detail below, starting with the EA type. This type has a sheet steel cage with inner ring guide, which consists of two halves. The cage has special

The spherical roller bearing


pockets that precisely guide and hold the rolling elements. The EA design is used in general applications.



EA-type bearings are sometimes characterised by improved [speed](#) properties, and all Ultage designs also feature a longer service life.

EM type

The EM type differs from the EA type in that it is equipped with a one-piece solid brass cage. This is indicated by the suffix M in the type designation. In this case, the cage is roller-guided and there are side ribs on the inner ring which serve as roller guides. The use of bearings of EM design makes sense in difficult application conditions such as high levels of shocks and vibrations.




The solid brass cage of the EM design has - compared to other types of cages - very good impact and vibration resistance.

EMA type

The spherical roller bearing


The EMA types have a one-piece reinforced solid brass cage. Similar to the EM type, the EMA design also has side ribs for roller guidance on the inner ring, but the cage is outer ring guided. The EMA type is used in applications where the demands on the cage are even higher than with the EM design. Designs such as the EMA design may be more expensive than EM designs due to the more complex production technology.



*Optimised **raceway curvature**, which all four E-types presented have, also leads to high load-bearing capacity in the EMA design.*

EG15 type

In a bearing of the EG15 design, a two-piece **polyamide** cage, which is rolling element guided, is installed as standard. The EG15 type has no conventional side ribs; instead an optimised contour is built into the cage, which serves an efficient roller guide as well as distributing lubricant more efficiently. Due to the use of plastic (polyamide) as cage material, it has a maximum operating temperature of 150°C. EG15 bearings are therefore only suitable for applications with moderate operating temperatures and are often used in applications where low noise is required.



Attention! You must not forget that EG15 designs cannot be used at temperatures higher than 150°C.

The spherical roller bearing

NTN
Make the world **NAMERAKA**

 bearingwizrd.com

Sealed spherical roller bearings

In E-Design there are also other spherical roller bearing types, for example [sealed](#) bearings. These are used in environments where there is a risk of foreign particles entering the bearing. In addition to bearings with a contact [seal](#), NTN also offers types with metal shields, referred to as the 'Kizei' ® series. These are located between the inner and outer ring and are intended for use in applications with particularly coarse contamination, as there is still a small gap between the outer ring and the shield (suffix Z). The advantage of this bearing type is that they still have the standard width of an open spherical roller bearing and do not require additional installation space, unlike types with a contact seal.



A version of the E-design with contact [seals](#) (left) as well as the E-design with shields (right) are also part of the Ultage series from NTN.


The spherical roller bearing

Spherical roller bearings with tapered and cylindrical bore


For spherical roller bearings, types exist with either a conical or tapered bore (suffix K) and with a cylindrical bore.

Adapter sleeves play a central role in installing spherical roller bearings with a tapered bore. An **adapter sleeve** is used between the shaft and the inner ring in these bearings and facilitates fitting. In this case, the bearing and the adapter sleeve can be freely positioned on the shaft before the bearing is fastened. In addition, the adapter sleeve offers the advantage that the **bearing clearance** can be adjusted a little with its help. Lock nuts and locking plates are also required for mounting. In addition to adapter sleeves, there are also withdrawal sleeves that are used not only for mounting but also for easier dismounting of the bearings.

The installation of a bearing with a cylindrical bore on the other hand, makes sense in applications that do not offer much space. In such cases, the bearing is heated and mounted using a suitable heating source.



The bearing clearance of spherical roller bearings with a tapered bore can be adjusted more precisely via the displacement path compared to other spherical roller bearings.



For bearings with a cylindrical bore, a suitable heating source is often used.

The spherical roller bearing

NTN
Make the world **NAMERAKA**

 bearingwizard.com

You may also be interested in Point and line contact

9. March 2022

What is meant by “point and [line contact](#)”? You may have already heard that rolling bearings can be split into two types. The classification depends

[Read more »](#)

Rolling bearing types overview

21. March 2022

If you have read our article on rolling bearing basics, you probably already know that rolling bearings can basically be divided into two types –

[Read more »](#)

Sealing

5. April 2022

During the design of a bearing assembly, the topic of [sealing](#) will always accompany you. In the following material, we will cover both integrated and

[Read more »](#)

Structure and function

9. March 2022

Components of rolling bearings The basics of rolling bearing technology include the structure and function of rolling bearings. To get you started slowly, you will

[Read more »](#)

The needle roller bearing

5. April 2022

Characteristics of needle bearings The needle roller bearing did not get its name by chance, because its rolling elements are – surprise – characterised by

[Read more »](#)

The spherical roller bearing

NTN
Make the world **NAMERAKA**

 bearingwizard.com



The tapered roller bearing

9. March 2022

Characteristics of tapered roller bearings Here you see an NTN tapered roller bearing. As the name suggests, tapered roller bearings are roller bearings, whereby the

[Read more »](#)